



Jemiclad

JemiPod the complete IPS solution

Prefabricated, preplumbed and wrapped in **Jemiclad PVCu hygienic cladding**

A modular hygienic sanitary service access panel factory built using Valchromat engineered moisture/ load resistant non toxic wood sub frame/carcass with heavy duty galvanised slotted channel supports/ fixing points & pipe clip points. Projected hinged lockable doors for front access to top and bottom manufactured from HiMacs

Solid surface chemical and stain resistant material featuring rebated rear sealing gasket.

Hygienically sealed with thermo-formed encapsulation hygienic cladding from Jemic.

IPS panels and carcass system can be integrated into the hygienic wall cladding installation with the option to dress the plinth with coved vinyl sheet.

Applications

Suitable for wet and dry areas in NHS hospitals (complies with HTM64.0.6), mental health units, specialist accommodation units, residential care, schools, offices, retail, hotels and commercial environments.

Colour

Satin White as standard. Colours available from the Jemiclad Pro and

Supreme ranges along with printed solutions from the Collections and Photojemic ranges.



Component Apertures

Pre-cut service apertures to allow for:

Armitage Shanks Contour 21 50cm Back Outlet Wash basin (S215401) Contour 21 support brackets concealed hangers-toggle bolts and clips(S911264) Armitage Shanks Markwik 21Demountable Single Lever Mixer with detachable spout & Bioguard (A6243AA) Concealed rear outlet waste connector 1.25" adaptor (S8750-67) Trap 1.25: Plastic resealing bottle (S8920-67) Altecnic 15mm thermo fail safe mixing valve (CA-100822) all supplied.

Options

- Bespoke pre-cut aperture service available to suit client basin and control specifications available.
- Pre-plumbed with above components.
- Antiligature version available.
- Anti-scratch coating
- Using Jemiclad The Biomaster One we can offer an antimicrobial variant.



Size

600mm [w] x 300mm [d] Manufactured to suit ceiling height 3000mm [h] Max. Bespoke sizes available max height applies.

Jemiclad, Unit X1, Rudford Ind Est. Ford Rd, Arundel, BN18 0BF, UK

Tel: +44 1903 722522

www.jemiclad.co.uk www.jemicladusa.com

Installation

Carcass integrated mounting supports with multiple anchor points for flexible high load fixing and easy installation to suit all wall types. Sealed to wall with approved matching sealant.

Included Features

- Moisture resistant, load resistant, non-toxic coloured throughout carcass material and internal lining
- Galvanised heavy duty slotted structural support, pipe clip and fixing point channels
- Encapsulated in 1 piece PVCu Jemic Hygienic cladding with thermoformed external corners
- Locking accessible doors to top and bottom manufactured from hygienic & durable 12mm HiMacs solid surface material with gasket seal to rear mounted on projection hinges for easy access
- CNC cut apertures for sanitary wares for simple hassle-free installation



If you would like to discuss your project requirements, please give us a call or email.

UK +441903 722522 sales@jemiclad.co.uk

USA +1 800 492 2613

Canada

sales@laserwallprotection.ca